Alberta
Vital

Vital Statistics Annual Review 1983



Alberta

SOCIAL SERVICES
AND COMMMUNITY HEALTH
Vital Statistics

101-06772/

Vital Statistics Annual Review 1983

This publication is restricted to events occurring in Alberta

TABLE OF CONTENTS

	PAGE
Introduction	3
List of Tables	5
Summary of Vital Statistics, Alberta, 1983	23
Births, Deaths and Marriages, Alberta Municipalities of Population 1,000 or Greater, 1983	25
Glossary of Terms	29
List of 72 Selected Causes of Death	31

Alberta
SOCIAL SERVICES
AND COMMUNITY HEALTH
Vital Statistics

Texaco Building, 10130 - 112 Street, Edmonton, Alberta, Canada T5K 2K4 403 427 2683

Introduction

This publication is a summary of Vital Statistics of the Province of Alberta for 1983 as of July, 1984. Only events which occurred in Alberta are included.

The intent of the review is primarily for reference, so there is a minimum of analysis and interpretation of the data. It provides a ready reference to some of the more frequently used Vital Statistics for Alberta.

Tables used in compiling this review were generated from the Vital Statistics Information Terminal System (VISITS).

Bill Gilroy.

S. William Gilroy
Director
Vital Statistics
Alberta Social Services and
Community Health

LIST OF TABLES

NUMBER	TITLE	PAGE NO.
Table 1	Live Births Occurring In Alberta, Age of Mother by Birth Order, 1983	7
Table 2	In-Wedlock Live Births Occurring in Alberta, Age of Mother by Birth Order, 1983	8
Table 3	Out-Of-Wedlock Live Births Occurring in Alberta, Age of Mother by Birth Order, 1983	9
Table 4	Multiple Live Births Occurring in Alberta, By Age of Mother, 1983	10
Table 5	Male Live Births Occuring in Alberta, Birthweight by Age of Mother, 1983	11
Table 6	Female Live Births Occurring in Alberta, Birthweight by Age of Mother, 1983	12
Table 7	Male Live Births Occurring in Alberta, Birthweight by Gestation Period, 1983	13
Table 8	Female Live Births Occurring in Alberta, Birthweight by Gestation Period, 1983	14
Table 9	Marriages Occurring in Alberta, Age of Bridegroom by Age of Bride, 1983	15
Table 9A	First Marriages Occurring in Alberta, Age of Bridegroom by Age of Bride, 1983	15
Table 10	Marriages Occurring in Alberta, Marital Status of Bridegroom by Marital Status of Bride, 1983	15
Table 11	Deaths Occurring in Alberta, Cause by Sex and Age, 1983	16
Table 12	Infant Deaths Occurring in Alberta, Cause by Sex and Age, 1983	22

TABLE 1 — LIVE BIRTHS OCCURRING IN ALBERTA, AGE OF MOTHER BY BIRTH ORDER, 1983

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH	NS	TOTAL	'NON-RES TOTAL	TOTAL
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	19	1	-	-	-	-	-	-	-	-	-	20	-	20
15	104	4	-	-	-	-	-	-	-	-	-	108	1	109
16	288	21	-	-	-	-	-	-	-	-	-	309	5	314
17	537	71	3	-	-	-	-	-	-	-	3	614	13	627
18	780	178	17	-	-	-	-	-	-	-	2	977	10	987
19	1081	374	48	4	-	-	-	-	-	-	2	1509	11	1520
20	1317	604	102	13	1	-	-	-	-	-	3	2040	16	2056
21	1527	783	194	20	-	-	-	-	-	-	4	2528	19	2547
22	1569	1041	279	54	5	1	-	-	-	-	5	2954	30	2984
23	1621	1198	369	74	11	4	2	-	-	-	2	3281	23	3304
24	1670	1327	459	105	19	1	1	-	-	-	5	3587	29	3616
25	1596	1263	534	121	41	9	1	-	1	-	5	3571	23	3594
26	1515	1340	570	173	46	10	5	-	-	-	1	3660	26	3686
27	1338	1282	630	176	52	16	5	3	-	-	1	3503	24	3527
28	1202	1180	620	168	48	18	7	1	2	-	2	3248	27	3275
29	986	1064	574	226	58	20	9	4	4	1	2	2948	12	2960
30	731	909	468	171	72	18	10	4	1	-	2	2386	20	2406
31	554	734	397	164	78	22	10	5	1	-	3	1968	8	1976
32	394	538	335	146	38	18	10	12	3	3	1	1498	7	1505
33	286	437	268	119	49	26	14	4	-	1	-	1204	12	1216
34	191	280	218	116	46	20	14	4	5	3	1	898	10	908
35	130	231	171	87	40	19	11	4	5	8	-	706	10	716
36	101	144	129	79	26	14	11	5	6	5	1	521	5	526
37	80	75	75	39	19	10	15	4	4	4	1	326	7	333
38	29	43	59	31	26	12	11	2	2	3	2	220	4	224
39	25	31	27	22	15	5	5	2	3	3	-	138	2	140
40	12	24	16	16	4	10	6	5	2	2	1	98	2	100
41	13	10	8	9	9	6	2	5	3	3	-	68	-	68
42	7	5	4	8	3	3	2	1	-	4	-	37	1	38
43	4	4	1	2	-	4	-	1	1	3	-	20	-	20
44	2	1	2	3	-	1	-	1	-	-	-	10	1	11
45	1	-	-	-	-	-	-	-	-	-	-	1	-	1
46	1	-	-	1	1	-	-	-	-	1	-	4	-	4
47	1	-	-	1	-	-	-	-	-	2	-	4	-	4
48	-	-	-	-	1	-	-	-	-	-	-	1	-	1
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50+	16	4	5	2	-	-	-	-	-	-	-	27	-	27
NS	54	28	14	2	1	4	-	-	-	1	1	105	-	105
TOTAL	19782	15229	6596	2152	709	271	151	67	43	47	50	45097	358	45455

TABLE 2 — IN-WEDLOCK LIVE BIRTHS OCCURRING IN ALBERTA, AGE OF MOTHER BY BIRTH ORDER, 1983

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER												NON-RES	
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH+	NS	TOTAL	TOTAL	TOTAL
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9	1	-	-	-	-	-	-	-	-	-	10	-	10
16	45	6	-	-	-	-	-	-	-	-	-	51	2	53
17	121	25	1	-	-	-	-	-	-	-	-	147	3	150
18	305	83	12	-	-	-	-	-	-	-	1	401	2	403
19	539	231	22	-	-	-	-	-	-	-	-	792	5	797
20	881	424	66	5	-	-	-	-	-	-	1	1377	14	1391
21	1150	617	138	12	-	-	-	-	-	-	3	1920	10	1930
22	1266	881	202	35	2	1	-	-	-	-	4	2391	26	2417
23	1373	1039	301	47	8	2	1	-	-	-	2	2773	19	2792
24	1469	1175	381	78	14	-	1	-	-	-	4	3122	25	3147
25	1438	1142	468	98	24	5	1	-	1	-	5	3182	19	3201
26	1372	1269	516	142	29	3	4	-	-	-	1	3336	23	3359
27	1202	1202	583	149	35	8	4	1	-	-	-	3184	18	3202
28	1104	1109	578	145	38	11	6	-	2	-	2	2995	20	3015
29	894	1010	537	206	51	17	5	3	1	-	2	2726	12	2738
30	649	847	435	148	62	14	8	2	1	-	2	2168	14	2182
31	491	705	366	151	68	17	8	4	1	-	2	1813	6	1819
32	339	512	318	131	36	15	8	10	3	3	1	1376	6	1382
33	238	421	252	115	46	23	11	1	-	1	-	1108	8	1116
34	153	261	203	106	43	19	13	4	4	2	1	809	7	816
35	110	219	164	79	36	16	11	3	5	6	-	649	9	658
36	77	138	126	76	25	11	8	3	5	3	1	473	2	475
37	60	68	70	38	15	9	12	3	3	3	1	282	5	287
38	20	38	52	29	23	12	14	2	1	2	1	191	2	193
39	21	28	25	20	14	5	5	2	3	3	-	126	2	128
40	9	21	16	14	4	10	5	3	2	2	1	87	1	88
41	8	9	8	9	9	2	1	4	2	2	-	54	-	54
42	6	3	3	5	3	3	2	1	-	4	-	30	1	31
43	4	3	1	2	-	3	-	1	1	3	-	18	-	18
44	1	1	1	2	-	1	-	1	-	-	-	7	1	8
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	1	-	-	1	1	-	-	-	-	1	-	4	-	4
47	1	-	-	1	-	-	-	-	-	2	-	4	-	4
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50+	15	3	5	2	-	-	-	-	-	-	-	25	-	25
NS	35	23	7	2	-	4	-	-	-	1	1	73	-	73
TOTAL	15406	13514	5857	1848	586	211	125	48	35	38	36	37704	262	37966

TABLE 3 — OUT-OF-WEDLOCK LIVE BIRTHS OCCURRING IN ALBERTA, AGE OF MOTHER BY BIRTH ORDER, 1983

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER												NON-RES TOTAL	TOTAL
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH	NS	TOTAL		
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	19	1	-	-	-	-	-	-	-	-	-	20	-	20
15	95	3	-	-	-	-	-	-	-	-	-	98	1	99
16	243	15	-	-	-	-	-	-	-	-	-	258	3	261
17	416	46	2	-	-	-	-	-	-	-	3	467	10	477
18	475	95	5	-	-	-	-	-	-	-	1	576	8	584
19	542	143	26	4	-	-	-	-	-	-	2	717	6	723
20	436	180	36	8	1	-	-	-	-	-	2	663	2	665
21	377	166	56	8	-	-	-	-	-	-	1	608	9	617
22	303	160	77	19	3	-	-	-	-	-	1	563	4	567
23	248	159	68	27	3	2	1	-	-	-	-	508	4	512
24	201	152	78	27	5	1	-	-	-	-	1	465	4	469
25	158	121	66	23	17	4	-	-	-	-	-	389	4	393
26	143	71	54	31	17	7	1	-	-	-	-	324	3	327
27	136	80	47	27	17	8	1	2	-	-	1	319	6	325
28	98	71	42	23	10	7	1	1	-	-	-	253	7	260
29	92	54	37	20	7	3	4	1	3	1	-	222	-	222
30	82	62	33	23	10	4	2	2	-	-	-	218	6	224
31	63	29	31	13	10	5	2	1	-	-	1	155	2	157
32	55	26	17	15	2	3	2	2	-	-	-	122	1	123
33	48	16	16	4	3	3	3	3	-	-	-	96	4	100
34	38	19	15	10	3	1	1	-	1	1	-	89	3	92
35	20	12	7	8	4	3	-	1	-	2	-	57	1	58
36	24	6	3	3	1	3	3	2	1	2	-	48	3	51
37	20	7	5	1	4	1	3	1	1	1	-	44	2	46
38	9	5	7	2	3	-	-	-	1	1	1	29	2	31
39	4	3	2	2	1	-	-	-	-	-	-	12	-	12
40	3	3	-	2	-	-	1	2	-	-	-	11	1	12
41	5	1	-	-	-	4	1	1	1	1	-	14	-	14
42	1	2	1	3	-	-	-	-	-	-	-	7	-	7
43	-	1	-	-	-	1	-	-	-	-	-	2	-	2
44	1	-	1	1	-	-	-	-	-	-	-	3	-	3
45	1	-	-	-	-	-	-	-	-	-	-	1	-	1
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	1	-	-	-	-	-	-	1	-	1
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50+	1	1	-	-	-	-	-	-	-	-	-	2	-	2
NS	19	5	7	-	1	-	-	-	-	-	-	32	-	32
TOTAL	4376	1715	739	304	123	60	26	19	8	9	14	7393	96	7489

TABLE 4 — MULTIPLE LIVE BIRTHS OCCURRING IN ALBERTA, BY AGE OF MOTHER, 1983

AGE OF MOTHER (YEARS)	RESIDENTS					NON-RESIDENTS					TOTAL
	SINGLE	TWINS	TRIPLETS	NS	TOTAL	SINGLE	TWINS	TRIPLETS	NS	TOTAL	
10	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-
14	20	-	-	-	20	-	-	-	-	-	20
15	108	-	-	-	108	1	-	-	-	1	109
16	309	-	-	-	309	5	-	-	-	5	314
17	611	3	-	-	614	9	4	-	-	13	627
18	972	4	-	1	977	10	-	-	-	10	987
19	1497	12	-	-	1509	11	-	-	-	11	1520
20	2016	24	-	-	2040	14	2	-	-	16	2056
21	2481	47	-	-	2528	17	2	-	-	19	2547
22	2920	34	-	-	2954	30	-	-	-	30	2984
23	3213	59	6	3	3281	19	4	-	-	23	3304
24	3516	70	1	-	3587	29	-	-	-	29	3616
25	3512	56	3	-	3571	23	-	-	-	23	3594
26	3597	63	-	-	3660	24	2	-	-	26	3686
27	3438	61	3	1	3503	22	2	-	-	24	3527
28	3186	62	-	-	3248	26	1	-	-	27	3275
29	2870	78	-	-	2948	12	-	-	-	12	2960
30	2347	36	3	-	2386	16	4	-	-	20	2406
31	1929	39	-	-	1968	8	-	-	-	8	1976
32	1455	43	-	-	1498	7	-	-	-	7	1505
33	1180	24	-	-	1204	12	-	-	-	12	1216
34	874	24	-	-	898	10	-	-	-	10	908
35	692	14	-	-	706	8	2	-	-	10	716
36	513	8	-	-	521	5	-	-	-	5	526
37	315	10	-	1	326	7	-	-	-	7	333
38	217	3	-	-	220	4	-	-	-	4	224
39	138	-	-	-	138	2	-	-	-	2	140
40	92	6	-	-	98	2	-	-	-	2	100
41	68	-	-	-	68	-	-	-	-	-	68
42	37	-	-	-	37	1	-	-	-	1	38
43	20	-	-	-	20	-	-	-	-	-	20
44	10	-	-	-	10	1	-	-	-	1	11
45	1	-	-	-	1	-	-	-	-	-	1
46	4	-	-	-	4	-	-	-	-	-	4
47	4	-	-	-	4	-	-	-	-	-	4
48	1	-	-	-	1	-	-	-	-	-	1
49	-	-	-	-	-	-	-	-	-	-	-
50+	26	1	-	-	27	-	-	-	-	-	27
NS	104	1	-	-	105	-	-	-	-	-	105
TOTAL	44293	782	16	6	45097	335	23	-	-	358	45455

THESE COUNTS REPRESENT NUMBERS OF ACTUAL LIVE BIRTHS AND NOT PREGNANCIES. STILLBIRTHS ARE NOT INCLUDED IN THESE COUNTS.

TABLE 5 — MALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY AGE OF MOTHER, 1983

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																					
	13 OR LESS	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
500 OR LESS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
501- 750	-	-	-	-	-	1	3	3	1	2	3	1	2	1	1	2	-	2	1	1	-	1
751-1000	-	-	-	1	-	1	2	-	1	1	4	2	3	3	7	4	1	-	1	-	1	-
1001-1250	-	-	-	2	1	2	6	4	2	2	6	6	5	2	4	3	-	1	-	3	2	1
1251-1500	-	-	-	-	1	4	3	6	4	5	4	1	6	3	3	2	2	5	1	3	2	1
1501-1750	-	-	-	1	2	1	3	5	11	12	7	7	6	3	3	5	8	7	6	4	2	3
1751-2000	-	-	-	2	5	4	5	9	10	10	12	12	14	10	15	9	11	3	6	6	6	4
2001-2250	-	-	-	1	3	2	7	16	20	17	25	31	16	17	17	19	14	16	10	11	7	4
2251-2500	-	-	-	9	7	19	15	30	31	23	32	33	39	43	37	30	37	22	16	17	17	9
2501-2750	-	2	1	15	19	27	46	51	60	74	80	91	87	80	96	64	67	48	43	36	24	18
2751-3000	-	1	8	15	34	47	78	113	115	147	181	197	183	197	154	157	144	98	101	84	60	35
3001-3250	-	3	8	17	50	85	132	187	231	266	261	330	281	278	291	260	233	195	157	111	95	67
3251-3500	-	1	13	43	69	107	176	222	279	312	330	350	358	390	370	354	294	236	200	160	136	98
3501-3750	-	1	7	26	48	94	161	175	220	263	306	364	344	333	357	319	280	215	175	146	112	82
3751-4000	-	-	7	20	39	56	89	140	162	197	232	211	245	253	246	225	226	199	133	129	95	66
4001-4250	-	1	4	13	17	36	46	48	88	116	107	126	113	135	139	140	116	94	81	64	59	37
4251-4500	-	1	2	4	16	13	23	34	31	50	45	71	53	67	61	60	53	46	46	28	24	15
4501-4750	-	-	1	3	2	1	4	14	15	10	20	13	22	23	25	24	23	21	14	10	11	2
4751-5000	-	-	-	1	3	3	3	3	4	7	7	10	4	7	8	6	5	8	8	4	2	1
5001-5250	-	-	-	-	1	-	-	1	2	-	-	-	2	4	1	1	3	3	2	-	1	-
5251-5500	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	1	-	-	-
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	1	-	3	2	-	4	-	-	2	-	-	2	2	2	3	1	-	-	1
TOTAL	-	10	51	174	317	506	804	1062	1291	1514	1662	1859	1784	1850	1839	1686	1519	1224	1003	819	656	445

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																	TOTAL	NON RES. TOTAL	TOTAL
	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50+	NS			
500 OR LESS	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3
501- 750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	1	28
750-1000	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	33	1	34
1001-1250	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	58	1	59
1251-1500	2	2	2	3	-	-	-	1	-	-	-	-	-	-	-	-	2	68	1	69
1501-1750	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	100	2	102
1751-2000	-	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	160	4	164
2001-2250	4	-	6	-	1	2	-	-	-	-	-	-	-	-	-	-	-	266	11	277
2251-2500	6	4	5	2	1	4	-	-	-	-	-	-	-	-	-	-	3	491	4	495
2501-2750	21	11	8	5	4	6	1	1	-	-	-	-	-	-	-	2	4	1092	13	1105
2751-3000	32	20	15	10	8	5	5	4	1	1	-	-	1	-	-	3	7	2261	17	2278
3001-3250	54	38	19	15	12	3	3	3	2	-	-	-	-	-	-	3	12	3702	32	3734
3251-3500	62	53	31	21	12	9	2	4	1	-	-	-	1	-	-	4	12	4710	32	4742
3501-3750	68	42	28	17	8	8	6	1	1	1	-	-	-	-	-	3	9	4220	23	4243
3751-4000	51	35	19	14	8	7	6	2	-	2	-	-	-	-	-	2	4	3120	12	3132
4001-4250	30	19	15	9	10	6	4	1	-	-	-	1	-	1	-	1	7	1684	9	1693
4251-4500	18	17	8	4	2	5	1	2	2	-	-	1	-	-	-	-	-	803	9	812
4501-4750	8	4	3	2	2	2	2	-	-	-	-	-	-	-	-	-	-	281	2	283
4751-5000	3	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	105	-	105
5001-5250	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	27	1	28
5251-5500	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	7
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25	-	25
TOTAL	369	255	165	106	71	57	32	20	7	4	-	2	2	1	-	18	62	23246	175	23421

TABLE 6 — FEMALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY AGE OF MOTHER, 1983

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																					
	13 OR LESS	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
500 OR LESS	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
501- 750	-	-	-	-	2	1	2	-	-	3	-	3	4	1	1	3	3	1	1	-	-	-
751-1000	-	-	-	-	-	2	1	-	3	4	3	-	5	3	2	5	-	2	1	-	1	2
1001-1250	-	-	-	-	3	1	3	1	8	-	4	4	7	4	8	2	4	2	-	2	3	1
1251-1500	-	-	-	-	-	2	1	4	7	3	7	3	2	3	6	2	1	2	-	1	1	-
1501-1750	-	-	1	-	3	3	4	2	6	4	8	6	9	6	8	2	1	3	6	2	2	-
1751-2000	-	-	1	-	4	5	7	9	10	14	15	12	11	18	6	6	17	5	9	6	4	3
2001-2250	-	1	-	-	7	7	8	13	24	19	15	21	22	16	26	25	16	12	18	9	7	6
2251-2500	-	1	-	6	13	7	30	30	45	50	53	60	49	51	49	44	42	40	29	18	13	13
2501-2750	-	-	5	6	18	41	44	63	84	107	124	112	118	140	97	106	96	74	52	45	36	31
2751-3000	-	2	4	18	30	70	102	135	168	206	245	220	243	203	211	194	206	156	117	82	56	51
3001-3250	-	-	11	29	60	81	138	220	244	298	298	345	321	360	333	291	241	217	159	129	100	83
3251-3500	-	2	14	29	63	92	170	216	287	290	338	373	386	387	343	303	319	232	207	143	113	89
3501-3750	-	3	12	24	40	75	101	148	177	235	239	300	306	298	277	296	234	208	166	114	103	88
3751-4000	-	-	4	10	32	52	53	86	111	120	153	150	187	192	163	160	150	122	106	63	63	51
4001-4250	-	-	3	8	14	24	24	33	44	50	73	72	69	69	78	71	47	49	48	34	29	18
4251-4500	-	1	1	3	5	6	11	15	10	22	30	35	29	45	41	30	27	25	28	18	12	8
4501-4750	-	-	1	1	2	-	3	3	6	6	9	3	13	9	6	10	14	5	8	10	4	3
4751-5000	-	-	-	1	1	2	1	-	2	3	2	1	2	1	6	7	2	3	3	3	-	4
5001-5250	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	1	-	-	2
5251-5500	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	-	-	-	1	-	-	6	2	-	4	2	3	2	4	1	4	-	-	-
TOTAL	-	10	57	135	297	471	705	978	1237	1440	1619	1728	1787	1809	1664	1562	1429	1161	965	679	547	453

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																	TOTAL	NON RES. TOTAL	TOTAL
	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50+	NS			
500 OR LESS	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4
501- 750	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	29	1	30
751-1000	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	36	2	38
1001-1250	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	59	1	60
1251-1500	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	50	5	55
1501-1750	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78	6	84
1751-2000	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	2	172	7	179
2001-2250	5	3	2	-	-	1	1	1	-	1	-	-	-	-	-	-	3	289	7	296
2251-2500	11	7	7	7	2	-	3	1	1	1	-	-	-	-	-	-	3	686	9	695
2501-2750	22	14	11	6	6	1	-	1	1	-	1	-	-	-	-	1	-	1463	12	1475
2751-3000	49	37	15	14	6	4	2	1	1	-	-	-	-	-	-	1	5	2854	22	2876
3001-3250	57	47	25	25	18	7	7	3	8	1	-	1	-	-	-	3	7	4167	25	4192
3251-3500	77	54	41	15	7	9	12	4	1	1	-	1	-	-	-	-	4	4622	29	4651
3501-3750	50	42	19	16	11	8	4	3	-	-	-	-	1	-	-	1	9	3608	32	3640
3751-4000	22	29	20	15	6	5	6	1	-	1	-	-	1	-	-	1	6	2147	11	2158
4001-4250	19	17	10	9	6	2	-	1	-	1	-	-	-	-	-	-	-	922	8	930
4251-4500	13	7	2	2	3	1	-	1	-	-	-	-	-	-	-	1	-	432	3	435
4501-4750	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	126	1	127
4751-5000	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	50	-	50
5001-5250	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	11
5251-5500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4
5751-6000	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1	34	1	35
TOTAL	337	266	161	114	67	41	36	17	13	6	1	2	2	-	-	9	43	21848	183	22031

TABLE 7 — MALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY GESTATION PERIOD, 1983

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS) 16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR LESS	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
501- 750	-	-	-	-	-	2	6	2	6	4	5	1	-	-	-	-
751-1000	-	-	-	-	1	-	1	-	-	4	11	6	4	2	2	1
1001-1250	-	-	-	-	-	-	-	1	1	1	4	8	15	9	6	3
1251-1500	-	-	-	-	-	-	-	-	-	-	2	2	6	16	14	8
1501-1750	-	-	-	-	-	-	-	-	-	-	-	-	2	1	15	18
1751-2000	-	-	-	-	-	-	-	-	-	-	-	-	3	1	8	6
2001-2250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4
2251-2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
2501-2750	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
2751-3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
3001-3250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
3251-3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
3501-3750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1
3751-4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
4001-4250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
4251-4500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4501-4750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4751-5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5001-5250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5251-5500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	-	5	-	4	1	1	1	-	-	-	-	-	-
TOTAL	-	-	-	-	7	2	12	5	8	10	22	17	30	30	66	43
NON-RES	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1
TOTAL	-	-	-	-	7	2	12	5	9	11	22	17	31	31	67	44

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS) 32	33	34	35	36	37	38	39	40	41	42	43	44+	NS	TOTAL
500 OR LESS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
501- 750	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
751-1000	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
1001-1250	4	1	2	2	1	-	-	-	-	-	-	-	-	-	58
1251-1500	6	4	3	1	-	-	5	-	1	-	-	-	-	-	68
1501-1750	15	16	14	5	5	7	-	1	1	-	-	-	-	-	100
1751-2000	33	22	26	21	16	7	2	2	12	1	-	-	-	-	160
2001-2250	15	31	43	40	44	29	18	19	18	3	-	1	-	-	266
2251-2500	5	15	43	52	90	90	77	42	58	10	6	-	-	-	491
2501-2750	3	5	26	61	134	183	217	167	242	36	13	1	-	2	1092
2751-3000	1	3	11	42	159	232	462	454	695	139	47	6	3	3	2261
3001-3250	3	2	1	23	104	235	644	772	1427	354	119	10	-	6	3702
3251-3500	-	1	4	8	65	192	630	944	2108	514	209	23	2	4	4710
3501-3750	1	-	1	3	37	102	422	712	2076	606	224	21	2	9	4220
3751-4000	2	-	1	2	25	50	220	491	1566	518	222	16	-	5	3120
4001-4250	-	-	-	1	7	17	92	205	852	348	141	16	2	2	1684
4251-4500	-	-	-	-	5	7	23	90	384	178	103	10	1	2	803
4501-4750	-	-	-	-	1	6	11	23	135	67	34	3	1	-	281
4751-5000	-	-	-	-	1	-	5	8	53	21	15	1	1	-	105
5001-5250	-	-	-	-	2	-	-	4	13	5	1	1	1	-	27
5251-5500	-	-	-	-	-	-	2	1	1	1	1	-	1	-	7
5501-5750	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
5751-6000	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	-	1	-	1	1	6	3	1	-	-	-	25
TOTAL	89	101	175	261	697	1157	2831	3937	9649	2804	1137	109	14	33	23246
NON-RES	4	3	7	2	8	10	25	27	58	14	8	2	1	-	175
TOTAL	93	104	182	263	705	1167	2856	3964	9707	2818	1145	111	15	33	23421

TABLE 8 — FEMALE LIVE BIRTHS OCCURRING IN ALBERTA, BIRTH WEIGHT BY GESTATION PERIOD, 1983

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS) 16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR LESS	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
501- 750	-	-	1	-	1	1	2	6	4	6	5	-	1	2	-	-
751-1000	-	-	-	-	-	1	-	3	2	4	5	6	9	1	3	1
1001-1250	-	-	-	-	-	-	-	-	1	3	2	4	16	13	8	2
1251-1500	-	-	-	-	-	-	-	-	-	-	-	1	6	8	8	5
1501-1750	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	9
1751-2000	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	9
2001-2250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2251-2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
2501-2750	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1
2751-3000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3001-3250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
3251-3500	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
3501-3750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3751-4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4251-4500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4501-4750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4751-5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5001-5250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5251-5500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	1	-	-	2	1	5	1	2	1	-	-	-	-	1	-
TOTAL	-	1	1	-	4	3	7	10	10	14	12	15	35	31	37	29
NON-RES	-	-	-	1	1	-	-	-	1	-	-	1	1	-	1	5
TOTAL	-	1	1	1	5	3	7	10	11	14	12	16	36	31	38	34

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS) 32	33	34	35	36	37	38	39	40	41	42	43	44+	NS	TOTAL
500 OR LESS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
501- 750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
751-1000	-	-	-	-	-	-	-	-	-	-	-	-	-	1	36
1001-1250	4	-	3	1	-	-	-	1	1	-	-	-	-	-	59
1251-1500	6	3	2	2	2	1	4	1	1	-	-	-	-	-	50
1501-1750	27	3	7	7	5	3	2	1	4	-	-	-	-	-	78
1751-2000	28	21	29	18	14	12	16	3	12	-	1	-	-	-	172
2001-2250	9	13	36	36	41	39	39	31	32	8	3	-	-	1	289
2251-2500	3	12	32	53	108	103	128	86	126	18	11	2	-	2	686
2501-2750	-	1	24	38	128	170	280	255	450	71	29	3	2	5	1463
2751-3000	1	-	14	21	124	240	496	564	1077	222	88	3	1	3	2854
3001-3250	1	1	3	14	77	204	632	824	1807	434	155	12	2	-	4167
3251-3500	-	-	3	10	58	110	469	856	2230	641	220	17	2	3	4622
3501-3750	-	-	-	2	26	58	267	588	1822	598	227	12	3	5	3608
3751-4000	1	-	-	2	8	30	148	281	1111	386	154	20	4	2	2147
4001-4250	-	1	1	1	4	10	41	102	457	207	91	5	2	-	922
4251-4500	-	-	-	-	2	5	14	35	219	103	48	4	1	1	432
4501-4750	-	-	-	-	3	1	5	13	67	27	8	2	-	-	126
4751-5000	-	-	-	-	1	-	3	1	27	13	4	-	1	-	50
5001-5250	-	-	-	-	-	-	1	-	5	3	2	-	-	-	11
5251-5500	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2
5501-5750	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4
5751-6000	-	-	-	-	-	1	1	-	-	1	-	-	-	-	3
6001-6250	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	-	1	-	1	1	9	4	1	-	-	3	34
TOTAL	80	55	154	205	602	987	2547	3644	9459	2739	1043	80	18	26	21848
NON-RES	4	6	7	5	9	12	23	26	57	16	5	2	-	-	183
TOTAL	84	61	161	210	611	999	2570	3670	9516	2755	1048	82	18	26	22031

TABLE 9 — MARRIAGES OCCURRING IN ALBERTA, AGE OF BRIDEGROOM BY AGE OF BRIDE, 1983

AGE OF BRIDEGROOM (YEARS)	AGE OF BRIDE (YEARS)															TOTAL
	LESS THAN 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	NS	
< 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	2	462	167	10	3	-	-	-	-	-	-	-	-	-	-	644
20-24	6	1925	4775	752	100	25	3	1	-	-	-	-	-	-	-	7587
25-29	2	441	3171	2370	471	100	19	1	-	-	1	-	-	-	-	6576
30-34	-	58	737	1190	676	172	40	9	-	-	-	-	-	1	-	2883
35-39	-	18	172	419	454	248	79	23	6	-	-	-	-	-	-	1419
40-44	1	5	34	116	183	181	118	53	10	2	1	-	-	-	-	704
45-49	-	-	16	42	64	122	115	71	37	4	1	-	-	-	-	472
50-54	-	-	5	15	25	45	68	72	56	21	6	3	-	-	-	316
55-59	-	1	3	2	10	11	28	49	49	31	13	4	2	1	-	204
60-64	-	-	-	2	5	5	8	25	35	47	17	8	3	-	-	155
65-69	-	-	1	-	-	4	4	13	15	15	26	23	3	1	-	105
70-74	-	-	-	1	-	-	1	3	2	5	12	13	17	4	1	59
75+	-	-	-	-	-	-	-	2	1	3	7	12	14	17	-	56
NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
TOTAL	11	2910	9081	4919	1991	913	483	322	211	128	84	63	39	24	2	21181

TABLE 9A — MARRIAGES OCCURRING IN ALBERTA, FIRST MARRIAGE FOR BRIDE AND BRIDEGROOM, AGE OF BRIDEGROOM BY AGE OF BRIDE, 1983

AGE OF BRIDEGROOM (YEARS)	AGE OF BRIDE (YEARS)															TOTAL
	LESS THAN 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	NS	
< 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	2	461	157	7	-	-	-	-	-	-	-	-	-	-	-	627
20-24	4	1883	4530	559	34	5	-	-	-	-	-	-	-	-	-	7015
25-29	2	390	2649	1611	183	32	2	-	-	-	1	-	-	-	-	4870
30-34	-	43	399	550	207	28	3	-	-	-	-	-	-	1	-	1231
35-39	-	7	56	109	90	28	4	2	-	-	-	-	-	-	-	296
40-44	1	2	6	9	14	17	5	2	-	-	-	-	-	-	-	56
45-49	-	-	2	7	4	7	5	1	2	-	-	-	-	-	-	28
50-54	-	-	2	2	1	2	1	4	1	-	-	-	-	-	-	13
55-59	-	-	1	1	-	1	-	1	1	2	1	-	-	-	-	8
60-64	-	-	-	-	-	2	-	-	-	3	-	-	1	-	-	6
65-69	-	-	-	-	-	1	-	1	2	3	1	-	-	-	-	8
70-74	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
75+	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
TOTAL	9	2786	7802	2855	533	123	20	11	6	8	3	1	1	3	2	14163

TABLE 10 — MARRIAGES OCCURRING IN ALBERTA, MARITAL STATUS OF BRIDEGROOM BY MARITAL STATUS OF BRIDE, 1983

MARITAL STATUS OF BRIDEGROOM	MARITAL STATUS OF BRIDE				TOTAL
	SINGLE	WIDOWED	DIVORCED	NS	
SINGLE	14163	138	2006	2	16309
WIDOWED	82	188	172	-	442
DIVORCED	1993	213	2220	3	4429
NS	-	-	-	1	1
TOTAL	16238	539	4398	6	21181

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES TOTAL	GRAND TOTAL
2. OTHER INTESTINAL INFECTIONS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	T	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TUBERCULOSIS																							
3. TB OF RESPIRATORY SYSTEM	M	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	3
4. OTHER TUBERCULOSIS	M	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	5
	F	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
	T	-	-	-	-	2	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	7
SUB-TOTAL (3-4)	M	-	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	1	1	-	-	-	8
	F	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
	T	-	-	-	-	2	-	-	1	1	-	2	-	-	-	2	-	1	1	-	-	-	10
7. MENINGOCOCCAL INFECTION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
8. SEPTICEMIA	M	1	-	-	-	-	-	-	-	-	-	-	1	2	5	2	4	2	2	1	-	-	20
	F	2	-	-	-	1	1	-	1	-	-	1	1	2	1	3	3	2	3	1	-	-	22
	T	3	-	-	-	1	1	-	1	-	-	1	2	4	6	5	7	4	5	2	-	-	42
11. VIRAL HEPATITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3
13. ALL OTHER INFEC. & PARAS. DISEASES	M	2	-	-	-	1	-	-	-	2	-	-	-	1	1	-	-	-	2	-	-	-	9
	F	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1	-	-	-	7
	T	2	-	-	-	1	-	-	-	2	-	-	1	3	3	-	-	1	3	-	-	-	16
MALIGNANT NEOPLASMS																							
14. LIP, ORAL CAVITY & PHARYNX	M	-	1	-	1	1	-	-	1	-	-	2	4	8	4	7	2	-	4	1	-	-	36
	F	-	-	-	-	-	1	-	-	1	1	-	1	1	5	1	1	1	1	-	-	-	14
	T	-	1	-	1	1	1	-	1	1	1	2	5	9	9	8	3	1	5	1	-	-	50
15. DIGESTIVE ORGANS, PERITONEUM	M	-	-	-	1	1	-	5	2	5	16	33	38	51	52	68	69	48	40	20	-	7	456
	F	-	-	-	-	1	1	2	3	5	4	14	23	35	55	63	46	37	37	24	-	5	355
	T	-	-	-	1	2	1	7	5	10	20	47	61	86	107	131	115	85	77	44	-	12	811
16. RESPIRATORY & INTRATHORACIC	M	-	-	-	-	-	1	-	3	8	14	25	54	52	62	64	78	54	19	3	-	10	447
	F	1	-	-	-	-	-	-	2	5	6	13	28	33	26	25	18	9	5	5	-	2	178
	T	1	-	-	-	-	1	-	5	13	20	38	82	85	88	89	96	63	24	8	-	12	625
17. BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	3
	F	-	-	-	-	-	1	9	7	14	21	29	32	36	31	26	22	9	8	5	-	7	257
	T	-	-	-	-	-	1	9	7	14	21	29	32	36	33	27	22	9	8	5	-	7	260
18. GENITAL ORGANS	M	-	-	-	-	1	1	-	1	1	-	1	5	9	21	31	35	29	19	10	-	2	166
	F	-	-	-	-	-	-	4	1	7	6	6	22	22	16	24	17	11	6	6	-	2	150
	T	-	-	-	-	1	1	4	2	8	6	7	27	31	37	55	52	40	25	16	-	4	316

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
19. URINARY ORGANS	M	-	-	-	-	-	-	-	1	1	2	3	5	9	12	16	16	3	9	4	-	2	83
	F	-	-	-	-	-	-	-	-	-	1	1	2	5	2	5	4	5	-	1	-	1	27
	T	-	-	-	-	-	-	-	1	1	3	4	7	14	14	21	20	8	9	5	-	3	110
20. OTHER UNSPECIFIED SITES	M	1	3	1	1	6	3	2	3	7	17	15	15	24	27	18	20	14	6	4	-	-	187
	F	2	2	2	1	3	2	2	1	1	8	7	10	15	16	18	15	11	12	4	-	2	134
	T	3	5	3	2	9	5	4	4	8	25	22	25	39	43	36	35	25	18	8	-	2	321
21. LEUKAEMIA	M	3	3	3	-	2	-	3	3	2	4	2	1	7	7	7	12	5	9	1	-	2	76
	F	1	3	-	2	1	1	-	1	3	-	3	6	3	3	4	6	8	5	1	-	2	53
	T	4	6	3	2	3	1	3	4	5	4	5	7	10	10	11	18	13	14	2	-	4	129
22. OTHER LYMPHATIC & HEMATOPOTETIC	M	-	1	-	-	2	2	2	2	2	6	5	7	14	13	9	16	7	4	1	-	3	96
	F	-	-	-	1	-	4	2	1	1	1	1	1	6	15	13	13	10	6	1	-	2	78
	T	-	1	-	1	2	6	4	3	3	7	6	8	20	28	22	29	17	10	2	-	5	174
SUB-TOTAL (14-22)	M	4	8	4	3	13	7	12	16	26	59	86	129	174	200	221	248	160	110	44	-	26	1550
	F	4	5	2	4	5	10	19	16	37	48	74	125	156	169	179	142	101	80	47	-	23	1246
	T	8	13	6	7	18	17	31	32	63	107	160	254	330	369	400	390	261	190	91	-	49	2796
23. BENIGN NEOPLASMS & OTHER	M	-	-	-	1	-	-	-	-	1	2	-	1	4	2	2	2	-	1	-	-	-	16
	F	1	-	-	-	-	-	2	-	-	-	-	1	-	2	2	1	5	3	1	-	-	18
	T	1	-	-	1	-	-	2	-	1	2	-	2	4	4	4	3	5	4	1	-	-	34
24. DIABETES MELLITUS	M	-	-	-	-	-	-	-	1	2	1	-	5	5	8	8	18	18	5	11	-	3	85
	F	-	-	-	-	-	1	-	1	2	2	2	2	4	11	10	16	16	20	12	-	4	103
	T	-	-	-	-	-	1	-	2	4	3	2	7	9	19	18	34	34	25	23	-	7	188
25. NUTRITIONAL DEFICIENCIES	M	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	3	-	-	8
	F	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	5	-	-	11
	T	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	5	8	-	-	19
26. ANAEMIAS	M	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	1	1	2	-	-	9
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	4	-	-	13
	T	-	-	-	1	-	-	-	-	-	1	-	1	1	2	1	3	4	2	6	-	-	22
27. MENINGITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	5
	T	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	6
DISEASES OF HEART																							
28. RHEUMATIC FEVER & HEART	M	-	-	-	-	-	-	-	-	-	1	3	2	2	3	-	4	-	-	2	-	2	19
	F	-	-	1	-	-	-	2	2	1	-	3	4	4	1	9	4	5	1	3	-	-	40
	T	-	-	1	-	-	-	2	2	1	1	6	6	6	4	9	8	5	1	5	-	2	59
29. HYPERTENSIVE HEART DISEASE	M	-	-	-	-	-	1	-	-	-	-	3	1	1	5	6	5	8	5	1	-	-	36
	F	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	4	6	9	4	-	2	37
	T	-	-	-	-	-	1	-	-	-	-	5	3	3	7	10	9	14	14	5	-	2	73
30. HYPERTENSIVE HEART & RENAL	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
	T	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	1	-	-	7

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
2. OTHER INTESTINAL INFECTIONS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	T	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
TUBERCULOSIS																							
3. TB OF RESPIRATORY SYSTEM	M	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	3
4. OTHER TUBERCULOSIS	M	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	5
	F	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
	T	-	-	-	-	2	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	7
SUB-TOTAL (3-4)	M	-	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	1	1	-	-	-	8
	F	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
	T	-	-	-	-	2	-	-	1	1	-	2	-	-	-	2	-	1	1	-	-	-	10
7. MENINGOCOCCAL INFECTION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
8. SEPTICEMIA	M	1	-	-	-	-	-	-	-	-	-	-	1	2	5	2	4	2	2	1	-	-	20
	F	2	-	-	-	1	1	-	1	-	-	1	1	2	1	3	3	2	3	1	-	-	22
	T	3	-	-	-	1	1	-	1	-	-	1	2	4	6	5	7	4	5	2	-	-	42
11. VIRAL HEPATITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3
13. ALL OTHER INFEC. & PARAS. DISEASES	M	2	-	-	-	1	-	-	-	2	-	-	-	1	1	-	-	-	2	-	-	-	9
	F	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1	-	-	-	7
	T	2	-	-	-	1	-	-	-	2	-	-	1	3	3	-	-	1	3	-	-	-	16
MALIGNANT NEOPLASMS																							
14. LIP, ORAL CAVITY & PHARYNX	M	-	1	-	1	1	-	-	1	-	-	2	4	8	4	7	2	-	4	1	-	-	36
	F	-	-	-	-	-	1	-	-	1	1	-	1	1	5	1	1	1	1	-	-	-	14
	T	-	1	-	1	1	1	-	1	1	1	2	5	9	9	8	3	1	5	1	-	-	50
15. DIGESTIVE ORGANS, PERITONEUM	M	-	-	-	1	1	-	5	2	5	16	33	38	51	52	68	69	48	40	20	-	7	456
	F	-	-	-	-	1	1	2	3	5	4	14	23	35	55	63	46	37	37	24	-	5	355
	T	-	-	-	1	2	1	7	5	10	20	47	61	86	107	131	115	85	77	44	-	12	811
16. RESPIRATORY & INTRATHORACIC	M	-	-	-	-	-	1	-	3	8	14	25	54	52	62	64	78	54	19	3	-	10	447
	F	1	-	-	-	-	-	-	2	5	6	13	28	33	26	25	18	9	5	5	-	2	178
	T	1	-	-	-	-	1	-	5	13	20	38	82	85	88	89	96	63	24	8	-	12	625
17. BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	3
	F	-	-	-	-	-	1	9	7	14	21	29	32	36	31	26	22	9	8	5	-	7	257
	T	-	-	-	-	-	1	9	7	14	21	29	32	36	33	27	22	9	8	5	-	7	260
18. GENITAL ORGANS	M	-	-	-	-	1	1	-	1	1	-	1	5	9	21	31	35	29	19	10	-	2	166
	F	-	-	-	-	-	-	4	1	7	6	6	22	22	16	24	17	11	6	6	-	2	150
	T	-	-	-	-	1	1	4	2	8	6	7	27	31	37	55	52	40	25	16	-	4	316

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
19. URINARY ORGANS	M	-	-	-	-	-	-	-	1	1	2	3	5	9	12	16	16	3	9	4	-	2	83
	F	-	-	-	-	-	-	-	-	-	1	1	2	5	2	5	4	5	-	1	-	1	27
	T	-	-	-	-	-	-	-	1	1	3	4	7	14	14	21	20	8	9	5	-	3	110
20. OTHER UNSPECIFIED SITES	M	1	3	1	1	6	3	2	3	7	17	15	15	24	27	18	20	14	6	4	-	-	187
	F	2	2	2	1	3	2	2	1	1	8	7	10	15	16	18	15	11	12	4	-	2	134
	T	3	5	3	2	9	5	4	4	8	25	22	25	39	43	36	35	25	18	8	-	2	321
21. LEUKAEMIA	M	3	3	3	-	2	-	3	3	2	4	2	1	7	7	7	12	5	9	1	-	2	76
	F	1	3	-	2	1	1	-	1	3	-	3	6	3	3	4	6	8	5	1	-	2	53
	T	4	6	3	2	3	1	3	4	5	4	5	7	10	10	11	18	13	14	2	-	4	129
22. OTHER LYMPHATIC & HEMATOPOTETIC	M	-	1	-	-	2	2	2	2	2	6	5	7	14	13	9	16	7	4	1	-	3	96
	F	-	-	-	1	-	4	2	1	1	1	1	1	6	15	13	13	10	6	1	-	2	78
	T	-	1	-	1	2	6	4	3	3	7	6	8	20	28	22	29	17	10	2	-	5	174
SUB-TOTAL (14-22)	M	4	8	4	3	13	7	12	16	26	59	86	129	174	200	221	248	160	110	44	-	26	1550
	F	4	5	2	4	5	10	19	16	37	48	74	125	156	169	179	142	101	80	47	-	23	1246
	T	8	13	6	7	18	17	31	32	63	107	160	254	330	369	400	390	261	190	91	-	49	2796
23. BENIGN NEOPLASMS & OTHER	M	-	-	-	1	-	-	-	-	1	2	-	1	4	2	2	2	-	1	-	-	-	16
	F	1	-	-	-	-	-	2	-	-	-	-	1	-	2	2	1	5	3	1	-	-	18
	T	1	-	-	1	-	-	2	-	1	2	-	2	4	4	4	3	5	4	1	-	-	34
24. DIABETES MELLITUS	M	-	-	-	-	-	-	-	1	2	1	-	5	5	8	8	18	18	5	11	-	3	85
	F	-	-	-	-	-	1	-	1	2	2	2	2	4	11	10	16	16	20	12	-	4	103
	T	-	-	-	-	-	1	-	2	4	3	2	7	9	19	18	34	34	25	23	-	7	188
25. NUTRITIONAL DEFICIENCIES	M	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	3	-	-	8
	F	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	5	-	-	11
	T	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	5	8	-	-	19
26. ANAEMIAS	M	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	1	1	2	-	-	9
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	4	-	-	13
	T	-	-	-	1	-	-	-	-	-	1	-	1	1	2	1	3	4	2	6	-	-	22
27. MENINGITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	5
	T	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	6
DISEASES OF HEART																							
28. RHEUMATIC FEVER & HEART	M	-	-	-	-	-	-	-	-	-	1	3	2	2	3	-	4	-	-	2	-	2	19
	F	-	-	1	-	-	-	2	2	1	-	3	4	4	1	9	4	5	1	3	-	-	40
	T	-	-	1	-	-	-	2	2	1	1	6	6	6	4	9	8	5	1	5	-	2	59
29. HYPERTENSIVE HEART DISEASE	M	-	-	-	-	-	1	-	-	-	-	3	1	1	5	6	5	8	5	1	-	-	36
	F	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	4	6	9	4	-	2	37
	T	-	-	-	-	-	1	-	-	-	-	5	3	3	7	10	9	14	14	5	-	2	73
30. HYPERTENSIVE HEART & RENAL	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
	T	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	1	-	-	7

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
31. ACUTE MYOCARDIAL INFARCTION	M	-	2	-	-	1	1	3	8	24	31	54	77	113	156	161	187	142	76	54	-	51	1141
	F	1	1	-	-	-	1	1	-	2	7	14	13	40	45	89	117	125	88	62	-	23	629
	T	1	3	-	-	1	2	4	8	6	38	68	90	153	201	250	304	267	164	116	-	74	1770
32. OTHER ACUTE & SUBACUTE ISCHAEMIC	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3
	T	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	6
33. ANGINA PECTORIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	5
35. OTHER DISEASES OF ENDOCARDIUM	M	-	-	-	-	-	-	-	1	-	1	-	5	4	2	7	8	2	1	-	-	-	31
	F	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	5	1	3	-	-	23
	T	-	-	-	-	-	-	-	1	-	1	1	7	5	5	9	13	7	2	3	-	-	54
36. ALL OTHER FORMS OF HEART DISEASE	M	1	-	-	-	3	1	1	3	7	6	17	19	27	34	39	36	47	38	43	-	4	326
	F	3	2	-	-	3	1	2	2	6	4	3	3	12	20	28	37	41	65	55	-	3	290
	T	4	2	-	-	6	2	3	5	13	10	20	22	39	54	67	73	88	103	98	-	7	616
SUB-TOTAL (28-36)	M	1	2	-	-	4	3	4	12	31	39	77	105	149	200	214	241	201	122	101	-	56	1563
	F	4	3	1	-	3	2	5	4	9	11	23	24	59	71	134	168	184	166	128	-	28	1027
	T	5	5	1	-	7	5	9	16	40	50	100	129	208	271	348	409	385	288	229	-	85	2590
37. HYPERTENSION W/WO RENAL DISEASE	M	-	-	-	-	-	-	-	-	1	-	-	1	3	1	3	1	8	1	1	-	1	21
	F	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	2	4	2	4	-	-	17
	T	-	-	-	-	-	-	-	-	1	1	-	2	3	4	3	3	12	3	5	-	1	38
CEREBROVASCULAR DISEASES																							
38. CRANIAL HEMORRHAGE	M	-	-	-	-	-	-	2	1	4	3	7	7	2	3	4	6	4	7	6	-	2	58
	F	-	-	-	-	1	1	-	1	4	5	4	7	8	5	9	9	14	8	1	-	1	78
	T	-	-	-	-	1	1	2	2	8	8	11	14	10	8	13	15	18	15	7	-	3	136
39. THROMBOSIS & UNSPEC. OCCLUSION	M	-	-	-	-	-	-	-	-	-	1	3	-	3	2	10	11	12	6	10	-	1	59
	F	-	-	-	-	-	-	-	-	1	-	1	-	1	6	10	11	12	20	11	-	-	73
	T	-	-	-	-	-	-	-	-	1	1	4	-	4	8	20	22	24	26	21	-	1	132
40. CEREBRAL EMBOLISM	M	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	4
	F	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	3
	T	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	2	1	-	-	7
41. ALL OTHER & LATE EFFECTS	M	1	-	1	-	-	2	1	2	4	2	6	7	11	21	27	55	57	31	34	-	2	264
	F	-	2	1	-	-	-	3	-	5	5	3	5	14	30	22	54	60	69	71	-	12	356
	T	1	2	2	-	-	2	4	2	9	7	9	12	25	51	49	109	117	100	105	-	14	620
SUB-TOTAL (38-41)	M	1	-	1	-	-	2	3	3	8	6	18	14	16	26	41	72	73	45	51	-	5	385
	F	-	2	1	-	1	1	3	2	10	10	8	12	23	42	41	74	86	98	83	-	13	510
	T	1	2	2	-	1	3	6	5	18	16	26	26	39	68	82	146	159	143	134	-	18	895
42. ATHEROSCLEROSIS	M	-	1	-	-	-	-	-	-	-	-	1	1	1	6	5	11	16	20	27	-	2	91
	F	-	1	-	-	-	-	-	-	-	-	-	-	-	2	4	9	19	26	40	-	-	101
	T	-	2	-	-	-	-	-	-	-	-	1	1	1	8	9	20	35	46	67	-	2	192

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
43. OTHER DIS-ARTERIES, ART. & CAPILL.	M	-	-	-	-	-	-	-	1	2	1	4	7	8	14	19	28	17	7	13	-	6	127
	F	-	-	1	1	-	-	-	-	-	1	1	1	3	10	10	15	12	7	7	-	5	74
	T	-	-	1	1	-	-	-	1	2	2	5	8	11	24	29	43	29	14	20	-	11	201
44. AC BRONCHITIS & BRONCHIOLITIS	M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	6
	F	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	4
	T	3	1	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	1	-	-	10
PNEUMONIA AND INFLUENZA																							
45. PNEUMONIA	M	9	-	-	1	1	2	2	1	1	-	4	4	15	11	20	51	41	45	43	-	3	254
	F	7	-	-	-	1	1	2	2	2	2	1	4	6	11	13	29	30	39	50	-	1	201
	T	16	-	-	1	2	3	4	3	3	2	5	8	21	22	33	80	71	84	93	-	4	455
46. INFLUENZA	M	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	4	6	-	-	14
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	6	4	-	-	18
	T	1	-	-	-	-	-	1	-	-	-	-	-	1	2	2	1	4	10	10	-	-	32
SUB-TOTAL (45-46)	M	10	-	-	1	1	2	3	1	1	-	4	4	15	12	20	51	42	49	49	-	3	268
	F	7	-	-	-	1	1	2	2	2	2	1	4	7	12	15	30	33	45	54	-	1	219
	T	17	-	-	1	2	3	5	3	3	2	5	8	22	24	35	81	75	94	103	-	4	487
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS																							
47. BRONCHITIS, CHRONIC & UNSPEC.	M	-	-	-	1	-	-	-	-	-	-	-	1	2	2	-	6	8	6	2	-	1	29
	F	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	3	2	-	-	10
	T	-	-	-	1	-	-	-	-	-	1	-	1	4	3	1	6	8	9	4	-	1	39
48. EMPHYSEMA	M	-	-	-	-	-	-	-	-	-	-	1	2	6	10	12	23	15	10	2	-	2	83
	F	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	3	1	2	-	-	1	22
	T	-	-	-	-	-	-	-	-	-	-	1	3	9	15	18	26	16	12	2	-	3	105
49. ASTHMA	M	-	-	-	1	-	1	2	-	1	1	1	-	3	2	-	4	3	3	1	-	-	23
	F	-	-	1	1	1	1	-	-	1	3	1	3	2	5	4	4	3	2	1	-	-	33
	T	-	-	1	2	1	2	2	-	2	4	2	3	5	7	4	8	6	5	2	-	-	56
50. OTHER	M	-	-	-	-	-	-	-	-	-	1	1	7	11	28	38	36	35	19	16	-	-	192
	F	-	-	-	-	-	-	-	-	1	1	2	1	6	12	13	8	11	5	3	-	1	64
	T	-	-	-	-	-	-	-	-	1	2	3	8	17	40	51	44	46	24	19	-	1	256
SUB-TOTAL (47-50)	M	-	-	-	2	-	1	2	-	1	2	3	10	22	42	50	69	61	38	21	-	3	327
	F	-	-	1	1	1	1	-	-	2	5	3	5	13	23	24	15	15	12	6	-	2	129
	T	-	-	1	3	1	2	2	-	3	7	6	15	35	65	74	84	76	50	27	-	5	456
51. ULCER OF STOMACH & DUODENUM	M	-	-	-	-	-	-	-	-	-	2	3	2	4	4	5	6	10	2	1	-	1	40
	F	-	-	-	-	1	-	-	-	-	1	-	-	-	3	5	2	5	2	4	-	2	25
	T	-	-	-	-	1	-	-	-	-	3	3	2	4	7	10	8	15	4	5	-	3	65
52. APPENDICITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3
	T	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	1	8
53. INTEST. OBSTR. & ABD. HERNIA	M	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	5	2	-	1	20
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	2	5	-	1	14
	T	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	9	7	7	-	2	34

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES TOTAL	GRAND TOTAL
31. ACUTE MYOCARDIAL INFARCTION	M	-	2	-	-	1	1	3	8	24	31	54	77	113	156	161	187	142	76	54	-	51	1141
	F	1	1	-	-	-	1	1	-	2	7	14	13	40	45	89	117	125	88	62	-	23	629
	T	1	3	-	-	1	2	4	8	6	38	68	90	153	201	250	304	267	164	116	-	74	1770
32. OTHER ACUTE & SUBACUTE ISCHAEMIC	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3
	T	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	6
33. ANGINA PECTORIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	5
35. OTHER DISEASES OF ENDOCARDIUM	M	-	-	-	-	-	-	-	1	-	1	-	5	4	2	7	8	2	1	-	-	-	31
	F	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	5	1	3	-	-	23
	T	-	-	-	-	-	-	-	1	-	1	1	7	5	5	9	13	7	2	3	-	-	54
36. ALL OTHER FORMS OF HEART DISEASE	M	1	-	-	-	3	1	1	3	7	6	17	19	27	34	39	36	47	38	43	-	4	326
	F	3	2	-	-	3	1	2	2	6	4	3	3	12	20	28	37	41	65	55	-	3	290
	T	4	2	-	-	6	2	3	5	13	10	20	22	39	54	67	73	88	103	98	-	7	616
SUB-TOTAL (28-36)	M	1	2	-	-	4	3	4	12	31	39	77	105	149	200	214	241	201	122	101	-	56	1563
	F	4	3	1	-	3	2	5	4	9	11	23	24	59	71	134	168	184	166	128	-	28	1027
	T	5	5	1	-	7	5	9	16	40	50	100	129	208	271	348	409	385	288	229	-	85	2590
37. HYPERTENSION W/WO RENAL DISEASE	M	-	-	-	-	-	-	-	-	1	-	-	1	3	1	3	1	8	1	1	-	1	21
	F	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	2	4	2	4	-	-	17
	T	-	-	-	-	-	-	-	-	1	1	-	2	3	4	3	3	12	3	5	-	1	38
CEREBROVASCULAR DISEASES																							
38. CRANIAL HEMORRHAGE	M	-	-	-	-	-	-	2	1	4	3	7	7	2	3	4	6	4	7	6	-	2	58
	F	-	-	-	-	1	1	-	1	4	5	4	7	8	5	9	9	14	8	1	-	1	78
	T	-	-	-	-	1	1	2	2	8	8	11	14	10	8	13	15	18	15	7	-	3	136
39. THROMBOSIS & UNSPEC. OCCLUSION	M	-	-	-	-	-	-	-	-	-	1	3	-	3	2	10	11	12	6	10	-	1	59
	F	-	-	-	-	-	-	-	-	1	-	1	-	1	6	10	11	12	20	11	-	-	73
	T	-	-	-	-	-	-	-	-	1	1	4	-	4	8	20	22	24	26	21	-	1	132
40. CEREBRAL EMBOLISM	M	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	4
	F	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	3
	T	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	2	1	-	-	7
41. ALL OTHER & LATE EFFECTS	M	1	-	1	-	-	2	1	2	4	2	6	7	11	21	27	55	57	31	34	-	2	264
	F	-	2	1	-	-	-	3	-	5	5	3	5	14	30	22	54	60	69	71	-	12	356
	T	1	2	2	-	-	2	4	2	9	7	9	12	25	51	49	109	117	100	105	-	14	620
SUB-TOTAL (38-41)	M	1	-	1	-	-	2	3	3	8	6	18	14	16	26	41	72	73	45	51	-	5	385
	F	-	2	1	-	1	1	3	2	10	10	8	12	23	42	41	74	86	98	83	-	13	510
	T	1	2	2	-	1	3	6	5	18	16	26	26	39	68	82	146	159	143	134	-	18	895
42. ATHEROSCLEROSIS	M	-	1	-	-	-	-	-	-	-	-	1	1	1	6	5	11	16	20	27	-	2	91
	F	-	1	-	-	-	-	-	-	-	-	-	-	-	2	4	9	19	26	40	-	-	101
	T	-	2	-	-	-	-	-	-	-	-	1	1	1	8	9	20	35	46	67	-	2	192

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
43. OTHER DIS-ARTERIES, ART. & CAPILL	M	-	-	-	-	-	-	-	1	2	1	4	7	8	14	19	28	17	7	13	-	6	127
	F	-	-	1	1	-	-	-	-	-	1	1	1	3	10	10	15	12	7	7	-	5	74
	T	-	-	1	1	-	-	-	1	2	2	5	8	11	24	29	43	29	14	20	-	11	201
44. AC BRONCHITIS & BRONCHIOLITIS	M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	6
	F	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	4
	T	3	1	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	1	-	-	10
PNEUMONIA AND INFLUENZA																							
45. PNEUMONIA	M	9	-	-	1	1	2	2	1	1	-	4	4	15	11	20	51	41	45	43	-	3	254
	F	7	-	-	-	1	1	2	2	2	2	1	4	6	11	13	29	30	39	50	-	1	201
	T	16	-	-	1	2	3	4	3	3	2	5	8	21	22	33	80	71	84	93	-	4	455
46. INFLUENZA	M	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	4	6	-	-	14
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	6	4	-	-	18
	T	1	-	-	-	-	-	1	-	-	-	-	-	1	2	2	1	4	10	10	-	-	32
SUB-TOTAL (45-46)	M	10	-	-	1	1	2	3	1	1	-	4	4	15	12	20	51	42	49	49	-	3	268
	F	7	-	-	-	1	1	2	2	2	2	1	4	7	12	15	30	33	45	54	-	1	219
	T	17	-	-	1	2	3	5	3	3	2	5	8	22	24	35	81	75	94	103	-	4	487
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS																							
47. BRONCHITIS, CHRONIC & UNSPEC	M	-	-	-	1	-	-	-	-	-	-	-	1	2	2	-	6	8	6	2	-	1	29
	F	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	3	2	-	-	10
	T	-	-	-	1	-	-	-	-	-	1	-	1	4	3	1	6	8	9	4	-	1	39
48. EMPHYSEMA	M	-	-	-	-	-	-	-	-	-	-	1	2	6	10	12	23	15	10	2		2	83
	F	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	3	1	2	-	-	1	22
	T	-	-	-	-	-	-	-	-	-	-	1	3	9	15	18	26	16	12	2	-	3	105
49. ASTHMA	M	-	-	-	1	-	1	2	-	1	1	1	-	3	2	-	4	3	3	1	-	-	23
	F	-	-	1	1	1	1	-	-	1	3	1	3	2	5	4	4	3	2	1	-	-	33
	T	-	-	1	2	1	2	2	-	2	4	2	3	5	7	4	8	6	5	2	-	-	56
50. OTHER	M	-	-	-	-	-	-	-	-	-	1	1	7	11	28	38	36	35	19	16	-	-	192
	F	-	-	-	-	-	-	-	-	1	1	2	1	6	12	13	8	11	5	3	-	1	64
	T	-	-	-	-	-	-	-	-	1	2	3	8	17	40	51	44	46	24	19	-	1	256
SUB-TOTAL (47-50)	M	-	-	-	2	-	1	2	-	1	2	3	10	22	42	50	69	61	38	21	-	3	327
	F	-	-	1	1	1	1	-	-	2	5	3	5	13	23	24	15	15	12	6	-	2	129
	T	-	-	1	3	1	2	2	-	3	7	6	15	35	65	74	84	76	50	27	-	5	456
51. ULCER OF STOMACH & DUODENUM	M	-	-	-	-	-	-	-	-	-	2	3	2	4	4	5	6	10	2	1	-	1	40
	F	-	-	-	-	1	-	-	-	-	1	-	-	-	3	5	2	5	2	4	-	2	25
	T	-	-	-	-	1	-	-	-	-	3	3	2	4	7	10	8	15	4	5	-	3	65
52. APPENDICITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3
	T	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	1	8
53. INTEST OBSTR & ABD HERNIA	M	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	5	2	-	1	20
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	2	5	-	1	14
	T	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	9	7	7	-	2	34

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
54. CHRONIC LIVER DIS. & CIRRHOSIS	M	-	1	-	-	-	4	9	6	14	9	18	21	23	14	11	10	2	3	-	-	-	145
	F	1	-	-	-	1	-	2	7	6	7	5	15	5	10	7	4	5	-	-	-	-	75
	T	1	1	-	-	1	4	11	13	20	16	23	36	28	24	18	14	7	3	-	-	-	220
55. CHOLELITHIASIS & OTHER GALLBLAD.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	3	1	-	-	16
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	-	-	14
	T	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	5	6	5	-	-	30
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																							
56. ACUTE GLOM. & NEPHROT. SYNDROME	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3
57. CHR. GLOM., NEPHRITIS & NEPHRO.	M	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	6
	F	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	5
	T	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	2	1	-	-	1	11
58. RENAL FAILURE & RESULTING DIS.	M	1	-	-	-	-	-	1	2	-	-	1	1	3	2	4	6	5	6	10	-	-	42
	F	-	-	-	-	1	-	-	-	-	-	-	1	3	2	5	1	5	7	6	-	1	32
	T	1	-	-	-	1	-	1	2	-	-	1	2	6	4	9	7	10	13	16	-	1	74
SUB-TOTAL (56-58)	M	1	-	-	-	-	-	1	2	-	-	1	2	3	3	5	6	6	7	10	-	1	48
	F	-	-	-	-	1	-	-	-	-	-	2	1	3	4	6	1	7	7	7	-	1	40
	T	1	-	-	-	1	-	1	2	-	-	3	3	6	7	11	7	13	14	17	-	2	88
59. INFECTIONS OF KIDNEY	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	-	7
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	5
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	2	-	1	12
60. HYPERPLASIA OF PROSTATE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM																							
61. PREGNANCY — ABORTIVE OUTCOME	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	T	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
62. OTHER COMPLICATIONS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
	T	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
SUB-TOTAL (61-62)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
	T	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
63. CONGENITAL ANOMALIES	M	49	-	2	5	2	3	2	1	1	1	1	-	3	-	-	2	-	1	-	-	5	78
	F	58	1	-	1	-	1	1	-	-	-	2	-	-	-	1	3	-	-	-	-	3	71
	T	107	1	2	6	2	4	3	1	1	1	3	-	3	-	1	5	-	1	-	-	8	149

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																							
64. TRAUMA. HYPOX. ASPHYX. RESP DIS	M	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	26
	F	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
	T	**56**	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	**58**
65. OTHER	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	52
	F	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	42
	T	**90**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	**94**
SUB-TOTAL (64-65)	M	74	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	78
	F	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	74
	T	**146**	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	**152**
66. SYMPTOMS. SIGNS & OTH. COND	M	42	-	-	2	-	2	-	-	-	3	2	-	1	1	1	-	1	-	6	-	2	63
	F	29	-	1	-	-	-	-	-	-	1	1	1	-	2	1	2	4	3	10	-	2	57
	T	**71**	-	1	2	-	2	-	-	-	4	3	1	1	3	2	2	5	3	16	-	4	**120**
67. ALL OTHER DISEASES	M	16	1	2	7	10	8	10	23	17	33	70	88	124	117	146	193	135	124	117	-	37	1278
	F	16	3	1	-	6	5	8	10	13	14	24	24	43	51	84	125	146	133	181	-	19	906
	T	**32**	4	3	7	16	13	18	33	30	47	94	112	167	168	230	318	281	257	298	-	56	2184
ACCIDENTS AND ADVERSE EFFECTS																							
68. MOTOR VEHICLE ACCIDENTS	M	11	10	11	34	68	39	26	17	12	11	14	12	6	4	3	6	7	2	2	-	23	318
	F	6	4	3	14	17	9	12	12	4	4	5	6	4	4	3	5	2	-	2	-	7	123
	T	**17**	14	14	48	85	48	38	29	16	15	19	18	10	8	6	11	9	2	4	-	30	**441**
69. OTH. ACCID. & ADVERSE EFFECTS	M	14	5	4	17	33	16	26	12	15	8	17	18	22	6	17	13	14	8	12	-	19	296
	F	15	2	3	5	4	3	4	3	2	3	1	2	8	4	6	12	13	18	25	-	6	139
	T	**29**	7	7	22	37	19	30	15	17	11	18	20	30	10	23	25	27	26	37	-	25	**435**
SUB-TOTAL (68-69)	M	25	15	15	51	101	55	52	29	27	19	31	30	28	10	20	19	21	10	14	-	42	614
	F	21	6	6	19	21	12	16	15	6	7	6	8	12	8	9	17	15	18	27	-	13	262
	T	**46**	21	21	70	122	67	68	44	33	26	37	38	40	18	29	36	36	28	41	-	55	**876**
70. SUICIDE	M	-	-	2	34	40	49	35	22	23	22	19	17	8	9	12	2	1	1	2	-	7	305
	F	-	1	1	7	7	11	13	12	11	10	10	5	4	3	1	2	-	-	1	-	1	100
	T	-	1	3	41	47	60	48	34	34	32	29	22	12	12	13	4	1	1	3	-	8	**405**
71. HOMICIDE & LEGAL INTERVENTION	M	1	-	-	3	5	4	10	2	2	3	2	5	1	-	-	-	-	1	1	-	2	42
	F	1	1	-	5	1	4	3	3	-	2	-	-	1	1	-	-	-	-	-	-	-	22
	T	2	1	-	8	6	8	13	5	2	5	2	5	2	1	-	-	-	1	1	-	2	64
72. ALL OTHER EXTERNAL CAUSES	M	2	-	2	4	8	15	6	4	13	5	9	10	5	4	3	1	-	1	-	-	5	97
	F	-	-	-	-	4	3	4	4	1	2	6	5	2	3	2	1	-	1	-	-	2	40
	T	2	-	2	4	12	18	10	8	14	7	15	15	7	7	5	2	-	2	-	-	7	137
ALL CAUSES (1-72)	M	236	30	28	114	187	155	149	123	172	208	352	455	604	685	797	999	785	566	478	-	213	7336
	F	217	23	15	39	56	55	80	79	101	125	170	238	339	436	542	637	676	638	635	-	125	5226
	T	453	53	43	153	243	210	229	202	273	333	522	693	943	1121	1339	1636	1461	1204	1113	-	338	12562

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
54. CHRONIC LIVER DIS. & CIRRHOSIS	M	-	1	-	-	-	4	9	6	14	9	18	21	23	14	11	10	2	3	-	-	-	145
	F	1	-	-	-	1	-	2	7	6	7	5	15	5	10	7	4	5	-	-	-	-	75
	T	1	1	-	-	1	4	11	13	20	16	23	36	28	24	18	14	7	3	-	-	-	220
55. CHOLELITHIASIS & OTHER GALLBLAD.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	3	1	-	-	16
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	-	-	14
	T	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	5	6	5	-	-	30
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																							
56. ACUTE GLOM. & NEPHROT. SYNDROME	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3
57. CHR. GLOM., NEPHRITIS & NEPHRO.	M	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	6
	F	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	5
	T	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	2	1	-	-	1	11
58. RENAL FAILURE & RESULTING DIS.	M	1	-	-	-	-	-	1	2	-	-	1	1	3	2	4	6	5	6	10	-	-	42
	F	-	-	-	-	1	-	-	-	-	-	-	1	3	2	5	1	5	7	6	-	1	32
	T	1	-	-	-	1	-	1	2	-	-	1	2	6	4	9	7	10	13	16	-	1	74
SUB-TOTAL (56-58)	M	1	-	-	-	-	-	1	2	-	-	1	2	3	3	5	6	6	7	10	-	1	48
	F	-	-	-	-	1	-	-	-	-	-	2	1	3	4	6	1	7	7	7	-	1	40
	T	1	-	-	-	1	-	1	2	-	-	3	3	6	7	11	7	13	14	17	-	2	88
59. INFECTIONS OF KIDNEY	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	-	7
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	5
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	2	-	1	12
60. HYPERPLASIA OF PROSTATE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM																							
61. PREGNANCY — ABORTIVE OUTCOME	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	T	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
62. OTHER COMPLICATIONS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
	T	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
SUB-TOTAL (61-62)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
	T	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
63. CONGENITAL ANOMALIES	M	49	-	2	5	2	3	2	1	1	1	1	-	3	-	-	2	-	1	-	-	5	78
	F	58	1	-	1	-	1	1	-	-	-	2	-	-	-	1	3	-	-	-	-	3	71
	T	107	1	2	6	2	4	3	1	1	1	3	-	3	-	1	5	-	1	-	-	8	149

TABLE 11 — DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS) 0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+	NS	NON-RES. TOTAL	GRAND TOTAL
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																							
64. TRAUMA, HYPOX., ASPHYX., RESP. DIS.	M	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	26
	F	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
	T	**56**	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**1**	**58**
65. OTHER	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	52
	F	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	42
	T	**90**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**4**	**94**
SUB-TOTAL (64-65)	M	74	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	78
	F	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	74
	T	**146**	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**5**	**152**
66. SYMPTOMS, SIGNS & OTH. COND.	M	42	-	-	2	-	2	-	-	-	3	2	-	1	1	1	-	1	-	6	-	2	63
	F	29	-	1	-	-	-	-	-	-	1	1	1	-	2	1	2	4	3	10	-	2	57
	T	**71**	-	**1**	**2**	-	**2**	-	-	-	**4**	**3**	**1**	**1**	**3**	**2**	**2**	**5**	**3**	**16**	-	**4**	**120**
67. ALL OTHER DISEASES	M	16	1	2	7	10	8	10	23	17	33	70	88	124	117	146	193	135	124	117	-	37	1278
	F	16	3	1	-	6	5	8	10	13	14	24	24	43	51	84	125	146	133	181	-	19	906
	T	**32**	**4**	**3**	**7**	**16**	**13**	**18**	**33**	**30**	**47**	**94**	**112**	**167**	**168**	**230**	**318**	**281**	**257**	**298**	-	**56**	**2184**
ACCIDENTS AND ADVERSE EFFECTS																							
68. MOTOR VEHICLE ACCIDENTS	M	11	10	11	34	68	39	26	17	12	11	14	12	6	4	3	6	7	2	2	-	23	318
	F	6	4	3	14	17	9	12	12	4	4	5	6	4	4	3	5	2	-	2	-	7	123
	T	**17**	**14**	**14**	**48**	**85**	**48**	**38**	**29**	**16**	**15**	**19**	**18**	**10**	**8**	**6**	**11**	**9**	**2**	**4**	-	**30**	**441**
69. OTH. ACCID. & ADVERSE EFFECTS	M	14	5	4	17	33	16	26	12	15	8	17	18	22	6	17	13	14	8	12	-	19	296
	F	15	2	3	5	4	3	4	3	2	3	1	2	8	4	6	12	13	18	25	-	6	139
	T	**29**	**7**	**7**	**22**	**37**	**19**	**30**	**15**	**17**	**11**	**18**	**20**	**30**	**10**	**23**	**25**	**27**	**26**	**37**	-	**25**	**435**
SUB-TOTAL (68-69)	M	25	15	15	51	101	55	52	29	27	19	31	30	28	10	20	19	21	10	14	-	42	614
	F	21	6	6	19	21	12	16	15	6	7	6	8	12	8	9	17	15	18	27	-	13	262
	T	**46**	**21**	**21**	**70**	**122**	**67**	**68**	**44**	**33**	**26**	**37**	**38**	**40**	**18**	**29**	**36**	**36**	**28**	**41**	-	**55**	**876**
70. SUICIDE	M	-	-	2	34	40	49	35	22	23	22	19	17	8	9	12	2	1	1	2	-	7	305
	F	-	1	1	7	7	11	13	12	11	10	10	5	4	3	1	2	-	-	1	-	1	100
	T	-	**1**	**3**	**41**	**47**	**60**	**48**	**34**	**34**	**32**	**29**	**22**	**12**	**12**	**13**	**4**	**1**	**1**	**3**	-	**8**	**405**
71. HOMICIDE & LEGAL INTERVENTION	M	1	-	-	3	5	4	10	2	2	3	2	5	1	-	-	-	-	1	1	-	2	42
	F	1	1	-	5	1	4	3	3	-	2	-	-	1	1	-	-	-	-	-	-	-	22
	T	**2**	**1**	-	**8**	**6**	**8**	**13**	**5**	**2**	**5**	**2**	**5**	**2**	**1**	-	-	-	**1**	**1**	-	**2**	**64**
72. ALL OTHER EXTERNAL CAUSES	M	2	-	2	4	8	15	6	4	13	5	9	10	5	4	3	1	-	1	-	-	5	97
	F	-	-	-	-	4	3	4	4	1	2	6	5	2	3	2	1	-	1	-	-	2	40
	T	**2**	-	**2**	**4**	**12**	**18**	**10**	**8**	**14**	**7**	**15**	**15**	**7**	**7**	**5**	**2**	-	**2**	-	-	**7**	**137**
ALL CAUSES (1-72)	M	236	30	28	114	187	155	149	123	172	208	352	455	604	685	797	999	785	566	478	-	213	7336
	F	217	23	15	39	56	55	80	79	101	125	170	238	339	436	542	637	676	638	635	-	125	5226
	T	**453**	**53**	**43**	**153**	**243**	**210**	**229**	**202**	**273**	**333**	**522**	**693**	**943**	**1121**	**1339**	**1636**	**1461**	**1204**	**1113**	-	**338**	**12562**

TABLE 12 — INFANT DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 10 SELECTED CAUSES OF INFANT DEATH	SEX	RESIDENTS: LESS THAN 1	NEONATAL 1	NEONATAL 2	NEONATAL 3	NEONATAL 4	NEONATAL 5	NEONATAL 6	NEONATAL 7-13	NEONATAL 14-20	NEONATAL 21-27	RESIDENTS: TOTAL	POST NEONATAL 28D-1M	POST NEONATAL 2 MOS	POST NEONATAL 3 MOS	POST NEONATAL 4 MOS	POST NEONATAL 5 MOS	POST NEONATAL 6 MOS	POST NEONATAL 7-11 MOS	POST NEONATAL TOTAL	NON-RES TOTAL	GRAND TOTAL
1. GASTROINTESTINAL DISEASE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	T	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	2
2. PNEUMONIA AND INFLUENZA	M	1	1	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	1	5	-	7
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	-	3
	T	2	1	-	-	-	-	-	-	-	-	3	1	2	-	-	1	2	1	7	-	10
3. CONGENITAL ANOMALIES	M	12	-	5	2	1	-	2	2	-	2	26	1	4	1	1	-	1	-	8	3	37
	F	11	1	2	-	1	1	1	2	3	-	22	3	3	2	1	2	3	2	16	2	40
	T	23	1	7	2	2	1	3	4	3	2	48	4	7	3	2	2	4	2	24	5	77
4. SHORT GEST & L B W	M	6	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	6
	F	10	1	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	1	12
	T	16	1	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	-	-	1	18
5. BIRTH TRAUMA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	2	1	-	4	2	-	-	-	-	-	-	2	-	6
	T	-	-	-	-	-	1	-	2	1	-	4	2	-	-	-	-	-	-	2	-	6
6. INTRAUT. HYPOXIA & BIRTH ASPHYX	M	3	-	-	-	1	-	-	1	-	-	5	-	-	-	-	-	-	-	-	-	5
	F	6	1	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	7
	T	9	1	-	-	1	-	-	1	-	-	12	-	-	-	-	-	-	-	-	-	12
7. RESPIRATORY DISTRESS SYNDROME	M	6	4	1	1	-	1	1	2	-	-	16	2	-	-	-	-	-	1	3	1	20
	F	6	-	3	2	1	-	1	2	2	-	17	-	-	-	-	-	-	2	2	-	19
	T	12	4	4	3	1	1	2	4	2	-	33	2	-	-	-	-	-	3	5	1	39
8. OTHER PERINATAL CONDITIONS	M	28	1	2	-	2	-	-	1	2	1	37	3	-	-	-	-	1	-	4	2	43
	F	23	-	-	-	-	-	-	1	2	1	27	1	-	-	-	1	-	-	2	1	30
	T	51	1	2	-	2	-	-	2	4	2	64	4	-	-	-	1	1	-	6	3	73
9. SUDDEN INFANT DEATH SYNDROME	M	1	-	-	-	-	-	-	-	1	2	4	9	11	6	5	5	1	-	37	1	42
	F	-	-	-	-	-	-	-	-	-	-	-	12	6	4	1	1	2	1	27	2	29
	T	1	-	-	-	-	-	-	-	1	2	4	21	17	10	6	6	3	1	64	3	71
10. ALL OTHER CAUSES	M	8	-	-	-	-	-	-	1	-	1	10	1	1	4	4	3	1	3	17	4	31
	F	6	-	3	-	1	1	-	-	1	-	12	3	4	4	2	2	3	4	22	1	35
	T	14	-	3	-	1	1	-	1	1	1	22	4	5	8	6	5	4	7	39	5	66
ALL-CAUSES (1-10)	M	65	6	8	3	4	1	3	7	3	6	106	17	18	11	11	9	4	5	75	11	192
	F	63	3	8	2	3	3	2	7	9	2	102	21	13	10	4	6	10	9	73	7	182
	T	128	9	16	5	7	4	5	14	12	8	208	38	31	21	15	15	14	14	148	18	374

TABLE 12 — INFANT DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1983

ICD-9 10 SELECTED CAUSES OF INFANT DEATH	SEX	NEONATAL: LESS THAN 1	1	2	3	4	5	6	RESIDENTS: 7-13	14-20	21-27	TOTAL	POST NEONATAL: 28D-1M	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7-11 MOS	TOTAL	NON-RES. TOTAL	GRAND TOTAL
1. GASTROINTESTINAL DISEASE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	T	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	2
2. PNEUMONIA AND INFLUENZA	M	1	1	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	1	5	-	7
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	-	3
	T	2	1	-	-	-	-	-	-	-	-	3	1	2	-	-	1	2	1	7	-	10
3. CONGENITAL ANOMALIES	M	12	-	5	2	1	-	2	2	-	2	26	1	4	1	1	-	1	-	8	3	37
	F	11	1	2	-	1	1	1	2	3	-	22	3	3	2	1	2	3	2	16	2	40
	T	23	1	7	2	2	1	3	4	3	2	48	4	7	3	2	2	4	2	24	5	77
4. SHORT GEST. & L.B.W.	M	6	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	6
	F	10	1	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	1	12
	T	16	1	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	-	-	1	18
5. BIRTH TRAUMA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	2	1	-	4	2	-	-	-	-	-	-	2	-	6
	T	-	-	-	-	-	1	-	2	1	-	4	2	-	-	-	-	-	-	2	-	6
6. INTRAUT. HYPOXIA & BIRTH ASPHYX.	M	3	-	-	-	1	-	-	1	-	-	5	-	-	-	-	-	-	-	-	-	5
	F	6	1	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	7
	T	9	1	-	-	1	-	-	1	-	-	12	-	-	-	-	-	-	-	-	-	12
7. RESPIRATORY DISTRESS SYNDROME	M	6	4	1	1	-	1	1	2	-	-	16	2	-	-	-	-	-	1	3	1	20
	F	6	-	3	2	1	-	1	2	2	-	17	-	-	-	-	-	-	2	2	-	19
	T	12	4	4	3	1	1	2	4	2	-	33	2	-	-	-	-	-	3	5	1	39
8. OTHER PERINATAL CONDITIONS	M	28	1	2	-	2	-	-	1	2	1	37	3	-	-	-	-	1	-	4	2	43
	F	23	-	-	-	-	-	-	1	2	1	27	1	-	-	-	1	-	-	2	1	30
	T	51	1	2	-	2	-	-	2	4	2	64	4	-	-	-	1	1	-	6	3	73
9. SUDDEN INFANT DEATH SYNDROME	M	1	-	-	-	-	-	-	-	1	2	4	9	11	6	5	5	1	-	37	1	42
	F	-	-	-	-	-	-	-	-	-	-	-	12	6	4	1	1	2	1	27	2	29
	T	1	-	-	-	-	-	-	-	1	2	4	21	17	10	6	6	3	1	64	3	71
10. ALL OTHER CAUSES	M	8	-	-	-	-	-	-	1	-	1	10	1	1	4	4	3	1	3	17	4	31
	F	6	-	3	-	1	1	-	-	1	-	12	3	4	4	2	2	3	4	22	1	35
	T	14	-	3	-	1	1	-	1	1	1	22	4	5	8	6	5	4	7	39	5	66
ALL-CAUSES (1-10)	M	65	6	8	3	4	1	3	7	3	6	106	17	18	11	11	9	4	5	75	11	192
	F	63	3	8	2	3	3	2	7	9	2	102	21	13	10	4	6	10	9	73	7	182
	T	128	9	16	5	7	4	5	14	12	8	208	38	31	21	15	15	14	14	148	18	374

VITAL STATISTICS SUMMARY, ALBERTA, 1983

POPULATION

Estimated population of Alberta as of June 1, 1983 was 2,362,300.

BIRTHS

A total of 45,455 births to Alberta residents were registered in 1983. This figure represents a birth rate of 19.2 per 1,000 population. Of the total live births registered, 798 or 1.7% were multiple births.

MARRIAGES

During 1983 there were 21,184 marriages performed in Alberta, representing 9.0 marriages for every 1,000 people. Of the grooms, 16,309 had not been married before, and 4,429 had been divorced. Of the brides, 16,238 had not been married before, and 4,398 had been divorced.

ADOPTIONS

In 1983, there were 2,112 registered adoptions in Alberta.

CHANGE OF NAME

In 1983, 3,026 changes of name were registered in Alberta.

DEATHS

There were 12,562 deaths in Alberta in 1983; 12,224 were Alberta residents. Of the resident deaths, 7,123 were male and 5,101 were females. The death rate was 5.3 per 1,000 population.

LEADING CAUSES OF DEATH

The seven leading causes of death in Alberta in 1983 for male and female combined, ranked by total numbers of deaths and the dates per 1,000.

CAUSE OF DEATH	MALE	FEMALE	TOTAL	RATE PER 1,000
Malignant Neoplasms	1550	1246	2796	1.18
Diseases of the Heart	1563	1027	2590	1.10
Cerebrovascular Disease	385	510	895	.38
Accidents & Adverse Effects	614	262	876	.37
Pneumonia & Influenza	268	219	487	.21
Chronic Obstructive Pulmonary Disease	327	129	456	.19
Suicide	305	100	405	.17

INFANT MORTALITY

The number of resident infant deaths in 1983 was 356; 181 males and 175 females. The number of neonatal deaths was 208; 106 males and 102 females. Congenital Anomalies was the most common cause of infant death, followed by "Other Perinatal Conditions".

STILLBIRTHS

In 1983 there were 284 stillbirths, a rate of 6.25 per 1,000 live births.

RATE OF NATURAL INCREASE

The rate of natural increase was 14.07 in 1983.

BIRTHS, DEATHS AND MARRIAGES

ALBERTA MUNICIPALITIES OF POPULATION 1,000 OR GREATER, 1983

MUNICIPALITY NAME	POPULATION 1983*	BIRTHS BY RESIDENCE OF MOTHER	Rate/1,000	MARRIAGES BY PLACE OF EVENT	Rate/1,000	DEATHS BY RESIDENCE OF DECEASED	Rate/1,000
Airdrie	10,431	327	31.35	46	4.41	22	2.11
Athabasca	1,862	31	16.65	35	18.80	43	23.09
Barrhead	3,736	78	20.88	68	18.20	47	12.58
Bassano	1,200	21	17.50	13	10.83	13	10.83
Beaumont	3,202	123	38.41	14	4.37	10	3.12
Beaverlodge	1,937	53	27.36	27	13.94	11	5.68
Black Diamond	1,545	27	17.48	8	5.18	7	4.53
Blackfalds	1,488	43	28.90	2	1.34	8	5.38
Bon Accord	1,425	42	29.47	10	7.02	4	2.81
Bonnyville	4,664	123	26.37	82	17.58	33	7.08
Bow Island	1,499	28	18.68	16	10.67	24	16.01
Bowden	1,021	24	23.51	7	6.86	8	7.84
Brooks	9,421	201	21.34	99	10.51	49	5.20
Bruderheim	1,238	27	21.81	3	2.42	8	6.46
Calgary	620,692	11,668	18.80	5,983	9.64	2,823	4.55
Calmar	1,118	24	21.47	16	14.31	9	8.05
Camrose	12,809	219	17.10	159	12.41	159	12.48
Canmore	3,745	79	21.09	33	8.81	23	6.14
Cardston	3,267	129	39.49	244	74.69	57	17.45
Carstairs	1,725	31	17.97	22	12.75	12	6.96
Castor	1,123	17	15.14	16	14.25	13	11.58
Claresholm	3,493	52	14.89	21	6.01	52	14.89
Coaldale	4,671	88	18.84	45	9.63	36	7.71
Coalhurst	1,119	30	26.81	5	4.47	3	2.68
Cochrane	4,044	113	27.94	32	7.91	12	2.97
Cold Lake	2,245	71	31.63	18	8.02	12	5.35
Coronation	1,268	24	18.93	18	14.20	10	7.89
Crossfield	1,358	33	24.30	8	5.89	8	5.89
Crowsnest Pass	7,577	115	15.18	48	6.33	56	7.39
Devon	3,931	89	22.64	29	7.38	14	3.56
Didsbury	3,235	54	16.69	32	9.89	41	12.67
Drayton Valley	4,867	130	26.71	86	17.67	29	5.96
Drumheller	6,671	118	17.69	75	11.24	74	11.09
Edmonton	560,085	10,938	19.53	5,681	10.14	3,016	5.38
Edson	7,329	168	22.92	80	10.92	47	6.41
Elk Point	1,057	21	19.87	8	7.57	8	7.57
Fairview	2,869	61	21.26	27	9.41	19	6.62
Falher	1,204	25	20.76	14	11.63	11	9.14

*Alberta Municipal Affairs Official Population List, 1983

BIRTHS, DEATHS AND MARRIAGES

Alberta Municipalities of Population 1,000 or Greater, 1983

MUNICIPALITY NAME	POPULATION 1983*	BIRTHS BY RESIDENCE OF MOTHER	Rate/1,000	MARRIAGES BY PLACE OF EVENT	Rate/1,000	DEATHS BY RESIDENCE OF DECEASED	Rate/1,000
Fort MacLeod	3,139	52	16.57	39	12.45	29	9.24
Fort McMurray	34,494	838	24.29	269	7.80	48	1.39
Fort Saskatchewan	12,474	232	18.60	79	6.33	52	4.17
Fox Creek	1,978	56	28.31	11	5.56	2	1.01
Gibbons	2,592	78	30.09	19	7.33	8	3.09
Grand Centre	3,119	77	24.69	37	11.86	14	4.49
Grande Cache	4,624	94	20.33	25	5.41	11	2.38
Grande Prairie	24,076	602	25.00	332	13.79	132	5.48
Grimshaw	2,488	55	22.11	14	5.63	15	6.03
Hanna	2,996	54	18.02	44	14.69	33	11.01
High Level	2,673	81	30.30	17	6.36	10	3.74
High Prairie	2,580	86	33.33	42	16.28	29	11.24
High River	5,049	93	18.42	52	10.30	57	11.29
Hinton	8,825	206	23.34	94	10.65	25	2.83
Innisfail	5,444	91	16.72	68	12.49	43	7.90
Killam	1,005	13	12.94	14	13.93	23	22.89
Lac La Biche	2,069	87	42.05	42	20.30	34	16.43
Lacombe	5,954	120	20.15	75	12.60	49	8.23
Lamont	1,673	31	18.53	6	3.59	25	14.94
Leduc	12,471	227	18.20	86	6.90	66	5.29
Legal	1,042	19	18.23	10	9.60	11	10.56
Lethbridge	58,086	919	15.82	635	10.93	439	7.56
Lloydminster[1]	9,226	16	1.73	140	15.17	55	5.96
Magrath	1,576	20	12.69	10	6.35	19	12.06
Manning	1,262	45	35.66	22	17.43	12	9.51
Mayerthorpe	1,475	34	23.05	28	18.98	28	18.98
McLennan	1,176	18	15.31	3	2.55	23	19.56
Medicine Hat	41,493	692	16.68	456	10.99	313	7.54
Millet	1,087	37	34.04	7	6.44	9	8.28
Morinville	5,109	158	30.93	33	6.46	16	3.13
Nanton	1,671	30	17.95	16	9.58	10	5.98
Okotoks	4,919	130	26.43	49	9.96	22	4.47
Olds	4,888	91	18.62	57	11.66	44	9.00
Oyen	1,021	14	13.71	25	24.49	10	9.79
Peace River	6,043	124	20.52	99	16.38	33	5.46
Penhold	1,588	56	35.26	3	1.89	3	1.89
Picture Butte	1,506	32	21.25	7	4.65	12	7.97

*Alberta Municipal Affairs Official Population List, 1983.

1 Birthrate is very low in Lloydminster because the hospital is located on the Saskatchewan side of the border. Therefore, births to Alberta residents in hospital are not recorded as Alberta events, but will be included in the Statistics Canada figures when out-of-province events are added. This may also affect the death rates as deaths occurring in the hospital would be recorded in the same manner.

BIRTHS, DEATHS AND MARRIAGES

Alberta Municipalities of Population 1,000 or Greater, 1983

MUNICIPALITY NAME	POPULATION 1983*	BIRTHS BY RESIDENCE OF MOTHER	Rate/1,000	MARRIAGES BY PLACE OF EVENT	Rate/1,000	DEATHS BY RESIDENCE OF DECEASED	Rate/1,000
Pincher Creek	3,712	82	22.09	49	13.20	25	6.73
Ponoka	5,221	93	17.81	80	15.32	75	14.37
Provost	1,756	37	21.07	25	14.24	27	15.38
Raymond	2,837	56	19.74	19	6.70	23	8.11
Red Deer	50,257	1,054	20.97	626	12.46	277	5.51
Redcliff	3,814	82	21.50	21	5.51	22	5.77
Redwater	2,197	53	24.12	9	4.10	18	8.19
Rimbey	1,848	30	16.23	36	19.48	28	15.15
Rocky Mountain House	4,735	147	31.05	65	13.73	47	9.93
Sexsmith	1,184	38	32.09	7	5.91	5	4.25
Slave Lake	4,562	135	29.59	35	7.67	16	3.51
Smoky Lake	1,165	17	14.59	5	4.29	22	18.88
Spirit River	1,104	20	18.12	8	7.25	11	9.96
Spruce Grove	11,307	329	29.10	135	11.94	35	3.10
St. Albert	35,032	640	18.27	274	7.82	84	2.40
St. Paul	4,963	126	25.39	76	15.31	37	7.46
Stettler	5,136	103	20.05	59	11.49	56	10.90
Stony Plain	5,291	127	24.00	64	12.10	43	8.13
Strathmore	3,436	86	25.03	31	9.02	15	4.37
Sundre	1,750	38	21.71	25	14.29	26	14.86
Swan Hills	2,497	75	30.04	2	.80	1	.40
Sylvan Lake	3,779	90	23.82	39	10.32	21	5.56
Taber	5,988	140	23.38	83	13.86	49	8.18
Three Hills	2,008	50	24.90	24	11.95	18	8.96
Tofield	1,560	23	14.74	17	10.90	14	8.97
Turner Valley	1,337	28	20.94	8	5.98	12	8.98
Two Hills	1,330	10	7.52	6	4.51	27	20.30
Valleyview	2,232	55	24.64	26	11.65	20	8.96
Vauxhall	1,076	19	17.66	12	11.15	6	5.58
Vegreville	5,251	87	16.57	68	12.95	66	12.57
Vermilion	3,745	70	18.69	52	13.89	46	12.28
Viking	1,238	7	5.65	17	13.73	31	25.04
Vulcan	1,507	26	17.25	18	11.94	27	17.92
Wainwright	4,477	93	20.77	64	14.30	55	12.29
Wembley	1,209	25	20.68	4	3.31	7	5.79
Westlock	4,432	88	19.86	87	19.63	58	13.09
Wetaskiwin	10.022	169	16.86	138	13.77	106	10.58
Whitecourt	5,408	166	30.70	56	10.36	21	3.88

*Alberta Municipal Affairs Official Population List, 1983.

GLOSSARY OF TERMS

Vital Statistics:	Records dealing with births, deaths, marriages and adoptions: all events which have to do with an individual's entrance into or departure from life, together with changes in civil status.
Live Birth:	A complete expulsion or extraction from the mother, irrespective of the duration of the pregnancy, of a foetus in which, after expulsion or extraction, there is breathing, beating of the heart, pulsation of the umbilical cord or definite movement of a voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.
Stillbirth:	Foetal death of at least 20 weeks gestation or 500 grams weight.
Gestation:	Time between the conception and birth of an infant, the usual length being 40 weeks.
Wedlock:	For purpose of this report, in-wedlock means that the parents of the child are married to each other at the time of the birth, or are subsequently married and have changed the birth registration.
Birth Order:	Number of live births to the mother, including this birth.
Infant Death:	Death of a child between birth and one year of age.
Neo-natal Death:	Death of an infant 28 days of age or less.
Natural Increase:	Excess of births minus deaths.

LIST OF 72 SELECTED CAUSES OF DEATH

9TH REVISION — INTERNATIONAL CLASSIFICATION OF DISEASES

NUMBER	CAUSE OF DEATH	ICD9 CODE
1	Shigellosis and amebiasis	004,006
2	Certain other intestinal infection	007-009
	Tuberculosis	010-018
3	Tuberculosis of respiratory system	010-012
4	Other Tuberculosis	013-018
5	Whooping cough	033
6	Streptococcal sore throat, scarlatina and erysipelas	034-035
7	Meningococcal infection	036
8	Septicemia	038
9	Acute poliomyelitis	045
10	Measles	055
11	Viral hepatitis	070
12	Syphilis	090-097
13	All other infectious and parasitic diseases	001-003,005, 020-032,037, 039-041,046-054, 056-066,071-088, 098-139
	Malignant neoplasms, including neoplasms of lymphatic and hematopietic tissues	140-208
14	Malignant neoplasms of lip, oral cavity and pharynx	140-149
15	Malignant neoplasms of digestive organs and peritoneum	150-159
16	Malignant neoplasms of respiratory and intrathoracic organs	160-165
17	Malignant neoplasms of breast	174-175
18	Malignant neoplasms of genital organs	179-187
19	Malignant neoplasms of urinary organs	188-189
20	Malignant neoplasms of all other and unspecified sites	170-173,190-199
21	Leukemia	204-208
22	Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203
23	Benign neoplasms carcinoma in situ, and neoplasms of uncertain behaviour and of unspecified nature	210-239
24	Diabetes mellitus	250
25	Nutritional deficiencies	260-269
26	Anemias	280-285
27	Meningitis	320-322
	Major cardiovascular diseases	390-448
	Diseases of heart	390,398,402,404-429
28	Rheumatic fever and rheumatic heart disease	390-398
29	Hypertensive heart disease	402

LIST OF 72 SELECTED CAUSES OF DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
30	Hypertensive heart and renal disease	404
	Ischemic heart disease	410-414
31	Acute myocardial infarction	410
32	Other acute and subacute forms of ischemic heart disease	411
33	Angina pectoris	413
34	All other forms of chronic ischemic heart disease	412-414
35	Other diseases of endocardium	424
36	All other forms of heart disease	415-423,425-429
37	Hypertension with or without renal disease	401,403
	Cerebrovascular diseases	430-438
38	Intracerebral and other intracranial hemorrhage	431-432
39	Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9
40	Cerebral embolism	434.1
41	All other late effects of cerebrovascular diseases	430,433,435-438
42	Atherosclerosis	440
43	Other diseases of arteries, arterioles and capillaries	441-448
44	Acute bronchitis and bronchiolitis	446
	Pneumonia and influenza	480-487
45	Pneumonia	480-486
46	Influenza	487
	Chronia obstructive pulmonary diseases and allied conditions	490-496
47	Bronchitis, chronic and unspecified	490-491
48	Emphysema	492
49	Asthma	493
50	Other chronic obstructive pulmonary diseases and allied conditions	494-496
51	Ulcer of stomach and duodenum	531-533
52	Appendicitis	540-543
53	Hernia of abdominal cavity and intestinal obstructions without mention of hernia	550-553,560
54	Chronic liver disease and cirrhosis	571
55	Cholelithiasis and other disorders of gallbladder	574-575
	Nephritis, nephrotic syndrome and nephrosis	580-589
56	Acute glomerulonephritis and nephrotic syndrome	580-581
57	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587
58	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589
59	Infections of kidney	590

LIST OF 72 SELECTED CAUSES OF DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
60	Hyperplasia of prostate	600
	Complications of pregnancy, childbirth, and the puerperium	630-676
61	Pregnancy with abortive outcome	630-638
62	Other complications of pregnancy, childbirth, and the puerperium	640-676
63	Congenital anomalies	740-759
	Certain conditions originating in the perinatal period	760-779
64	Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769
65	Other conditions originating in the perinatal period	760-766,770-779
66	Symptoms, signs, and ill-defined conditions	780-799
67	All other diseases	Residual
	Accidents and adverse effects	E800-E949
68	Motor vehicle accidents	E810-E825
69	All other accidents and adverse effects	E800-807,E826-E949
70	Suicide	E950-E959
71	Homicide and legal intervention	E960-E978
72	All other external causes	E980-E999

LIST OF 10 SELECTED CAUSES OF INFANT DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
1	Certain gastrointestinal diseases	008-009,535,555-588
2	Pneumonia and influenza	480-487
3	Congenital anomalies	740-759
4	Disorders relating to short gestation and unspecified low birthweight	765
5	Birth trauma	767
6	Intrauterine hypoxia and birth asphyxia	768
7	Respiratory distress syndrome	769
8	Other conditions originating in the perinatal period	760-764,766,770-779
9	Sudden infant death syndrome	798.0
10	All other causes	Residual

(1921 c3